

NASHUA® 377SA

Super Premium Spray Adhesive -
Low VOC

APPLICATIONS

- Superior performance for a variety of jobs for industry, displays, and fixtures.
- Bonds fabric, fiberglass insulation, plastic films, felt, rubber, leather, cork, paper, cardboard, urethane foam, foil to metal, wood to themselves and a variety of other substrates.
- Permanent or temporary bonds.



PRODUCT DESCRIPTION

- Contains no methylene chloride.
- Base: Synthetic resin(s) and styrene butadiene copolymer mix
- Solids 17% (+/-1.5%)
- Fine mist particle spray pattern.
- Net wt. 13oz; 17.6 fluid oz.
- Bonding time: 10 Sec - 5 minutes
- Mint when wet, none when dry.
- Color: Water white.
Extremely flammable.

FEATURES & BENEFITS

- Fast aggressive tack.
- Low soak-in for long-lasting bonds.
- Non-staining or wrinkling of lightweight materials.
- Good resistance to oxidation & moisture.
- Max Service Temp 120F
- Maintains even mist spray pattern even in high temperatures.
- Tested in conformance with FAR 25.853(a) and Appendix F (a)(1)(ii).
- VOC compliant for California and OTC state regulations.

Application Instructions

- Hold 6-8 inches away from surface to be sprayed. Depress spray tip (with arrow pointed away from the body) and apply a uniform coating. For porous substrates applying two coats in the opposite direction is recommended.
- For permanent bonds, apply a heavy coat to both surfaces. Allow to dry for 3-5 minutes before pressing the substrates together.
- For temporary bonds, apply a light coat to one surface only. Allow to dry for 5 minutes and bond.
- Read label precautions before using.
- Invert can and depress nozzle to clear spray tip.

The information presented herein was prepared at BERRY PLASTICS CORPORATION (25 Forge Parkway Franklin, MA 02038) by qualified technical personnel. To Berry's knowledge it is true and accurate. However, the information and recommendations are furnished for these products with the understanding that the purchaser or user, as the case may be, will independently determine that the product is suitable for the intended use, and that such use complies with all applicable federal, state and local laws and regulations. The data are submitted only for the user's information and consideration, and do not constitute a warranty of any kind (including but not limited to a warranty of merchantability or of fitness for a particular purpose), or a representation for which BERRY PLASTICS assumes any legal responsibility.